

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020016917"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 08:10
S2	4	("6804742" "6061449").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:37
S3	2	"5432923".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:25
S4	1011	713/193.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 08:05
S5	1626	713/1.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 08:07
S6	616	713/502.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 08:07
S7	67	380/264.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:55
S8	105	("5857024" "4326267" "5923759" "5922073" "6034902" "4310897" "4542288" "4544835" "4810868" "4813024" "5253295" "5343530" "5436621" "5574912" "5588146" "5726770" "5798708" "5812762" "5818030" "5841119" "5894551" "5963980" "5963340" "5991207" "6012145" "6067351" "6145739" "6182217" "4007355" "4104721" "4256955" "4271482" "4322612" "4364472" "4367402" "4434473" "4450535" "4486828" "4491873" "4523297" "4529870" "4536739" "4614861" "4771462" "4791669" "4797922" "4799153" "4807288" "4811291" "4816656").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 08:44
S9	3192	(read\$3 or access\$3) with (data or password\$1 or identification) with (before or prior) with (boot\$3 or power\$3 or reset\$3 or initial\$7)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:27

S10	331	boot\$3 same (encrypt\$3 or decrypt\$3) with key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:29
S11	4207	(boot\$3 or start\$3 or power\$3) same (encrypt\$3 or decrypt\$3) with key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:29
S12	2197	(boot\$3 or power\$3) same (encrypt\$3 or decrypt\$3) with key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:29
S13	0	713/502.ccls and (713/1.ccls. or 713/2.ccls.)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:55
S14	2547	(713/1.ccls. or 713/2.ccls.)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:55
S15	9	S14 and S6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:16
S16	13	("4120030" "4278837" "4634807" "5442645" "5249232" "5666411"). pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:38
S17	279	secur\$2 with load\$3 with key\$1 with (encrypt\$4 or decrypt\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:40
S18	201	secur\$2 with load\$3 with key\$1 with (encrypt\$4 or decrypt\$4) and (power or reset or boot)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:23
S19	941	(cpu or processor) with disabl\$3 with (load\$3 or transmit\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 12:08
S20	350	(cpu or processor) with disabl\$3 with (load\$3 or transmit\$4) with (data or key\$1 or password\$1 or pin)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 12:09
S21	33	((cpu or processor) near disabl\$3) with (load\$3 or transmit\$4) with (data or key\$1 or password\$1 or pin)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 12:09

S22	2	"5960084".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:15
S23	5119	(halt\$3 or suspend\$3 or dis\$1abl\$3) near (cpu or processor or micro\$processor or (central adj process\$3 adj unit))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:17
S24	103	(halt\$3 or suspend\$3 or dis\$1abl\$3) near (cpu or processor or micro\$processor or (central adj process\$3 adj unit)) with ((read\$3 or load\$3) near4 (data or key\$1 or password\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:46
S25	14	S14 and load\$3 near key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:58
S26	1	(load\$3 near key\$1) adj5 ((prior or before) adj (initial\$7 or start\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:01
S27	965	set\$1top\$1box\$2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:13
S28	60	set\$1top\$1box\$2 and (encrypt\$4 near key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:14
S29	86	set\$1top\$1box\$2 and (encrypt\$4 with key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:28
S30	4554	encrypted with memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:29
S31	123	encrypted adj memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:33
S32	7635	(load\$3 or read\$3) near1 key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 15:34
S33	33	(load\$3 or read\$3) near1 key\$1 same secure adj (memory or storage)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:09

S34	6	("6370601" "5696886" "6058474").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:24
S35	93	vocoder\$1modem	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:25
S36	89	vocoder\$1modem and encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:25
S37	0	vocoder\$1modem and encrypt\$4 and bios	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:25
S38	40	vocoder\$1modem and encrypt\$4 and boot	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:25
S39	276	encrypt\$4 with boot\$5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 08:11
S40	32	encrypt\$4 with boot\$5 and (load\$3 or read\$3) near key	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 08:12
S41	57	encrypt\$4 with boot\$5 and (load\$3 or read\$3 or access\$3) near key	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:08
S42	2	"6415371".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:08
S43	29701	serial adj bus	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:35
S44	4770	(serial adj bus).ab.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:35
S45	2376	(serial adj bus).ti.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:40

S46	151	(serial adj bus).ti. and secur\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12
S47	16	(serial adj bus with memory).ti. and secur\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:4
S48	212	(serial adj bus with memory).ti.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:54
S49	166	user with (id or identification) with boot\$5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56
S50	595	(system or user) with (id or identification) with boot\$5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56
S51	42	(system or user) with (id or identification) with boot\$5 and (\$2crypt\$4 with (id or identification))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:17
S52	262	updat\$3 with boot\$4 with code	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:18
S53	15	updat\$3 with boot\$4 with code and code with \$2crypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:49
S54	1904	broadcast adj wave\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:49
S55	21	broadcast adj wave\$1 same (program\$1 or data) with encrypted	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:10
S56	0	broadcast adj wave\$1 same (cotent) with encrypted	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:10
S57	6	broadcast adj wave\$1 same (content) with encrypted	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:11

S58	357	broadcast same (content) with encrypted	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12
S59	53	broadcast same (content) with encrypted with stor\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:3
S60	10092	boot\$3 with tim\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:30
S61	198	boot\$3 with tim\$3 same counter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:31
S62	526	boot\$3 with tim\$3 same clock	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 11:32
S63	98	boot\$3 with tim\$3 same clock and load\$3 with (timer or counter)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:14
S64	48	boot\$3 with tim\$3 same clock same delay\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:28
S65	630	boot\$3 with delay\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:29
S66	73	boot\$3 with delay\$3 same (cpu or processor or micro\$1processor)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:31
S67	0	boot\$3 with delay\$3 same time near load\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:31
S68	31	boot\$3 with delay\$3 same time with load\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:39
S69	398	boot with timer\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:40

S70	9	boot with timer\$1 same load	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12
S71	103	boot with (timer\$1 or counter\$1) same load\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:2
S72	308	725/31.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:31
S73	9	725/31.ccls. and boot	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:35
S74	85	725/31.ccls. and (timer or counter)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:43
S75	733	713/600.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:43
S76	336	713/600.ccls. and (counter or timer)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:44
S77	116	713/600.ccls. and (counter or timer) with (load or boot or reset)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:45
S78	138	725/31.ccls. and (load\$3 or read\$3 or receiv\$3) with (key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 14:46
S79	41	725/31.ccls. and (load\$3 or read\$3 or receiv\$3) with (key\$1) same (processor\$1 or cpu or mpu or micro\$1processor\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/12 15:02
S80	2	"6266715".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:10
S81	147	boot with usb	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/05/13 12:10